



Sepsis – Die unterschätzte Folge von nosokomialen und ambulant erworbenen Infektionen

K. Reinhart ML, Senior Professor, Jena UH

BIH Visiting Professor/Stiftung Charité, Berlin

Chair Global Sepsis Alliance

September 13, 2018 | World Sepsis Day



World Health Organization

The Resolution Acknowledges That

- “Each year, sepsis causes approximately six million deaths worldwide, most of which are preventable”
- “Sepsis is a syndromic response to infection and the final common pathway to death **from most infectious diseases**”
- “Sepsis is an emergency that requires time-critical actions, improved training of

- **This helps to overcome some misconceptions such as:**
- **Sepsis...**
 - ...occurs only in the healthcare setting
 - ...results only from unclean care
 - ...is primarily caused by multiresistant bacterial super bugs

quality “



Global
Sepsis
Alliance

September 13, 2018 | World Sepsis Day

Ausgangs- und Diskussionspunkte

- Unterschätzung der Krankheitslast
- Fehlende Lobby
- Mangelndes Bewusstsein für Vermeidbarkeit
- Geringe Kenntnis der Bevölkerung
- Fehlende Priorität bei den Versorgern
- Geringes Interesse der Politik



Intensive Care Med (2018) 44:1826–1835
<https://doi.org/10.1007/s00134-018-5377-4>

ORIGINAL

Challen...
of sepsis...
of sepsis...
System...
inciden...





Among 18 664 877 hospital admissions in 2015, 4 213 116 (22.6%) patients had at least one infection code

lities
ealth
ection


C. Fleischmann-Struzek^{1*} , A. Mikolajetz², D. Schwarzkopf¹, J. Cohen³, C. S. Hartog^{4,5}, M. Pletz⁶, P. Gastmeier^{7,8} and K. Reinhart^{1,2,9}

Increase of Hospital-treated Infections in Germany: 3,691,241 - 4,173,237 (2010-2015)






Früh- und Neugeborene sowie Ältere sind besonders stark betroffen



Anteil von Infektionen und Sepsis bei den Krkh. Todesfällen in Deutschland 2015 n = 422 159





Between 2009-2014 In The US Less Than 50% of Sepsis Cases were Coded In the ICD-9

- According to EHRs 5.9% of all hospitalizations had sepsis. Neither the incidence nor mortality was reported.
- Projected national incidence USA
sepsis cases, 517/100 000
population; 260,000 deaths.
- Sepsis was present in 35% of patients who culminated in death



Bloomberg ▾

America Has a \$27 Billion Sepsis Crisis





**Estimated direct costs:
Germany 9.24 Billion Euros
UK 7.7- 10.7 Billion Pounds**

New figures reveal a striking rise in the deadly syndrome, but how can it have a profit-motive to find it—and it may have been there all along.



'The book of infectious diseases can now ultimately be closed.'

Steinfeld, Surgeon General, 1972




Jesse Leonard Steinfeld



What we can learn from cancer and other fields

The campaign is much like a political campaign:... the strategies of advertising as much as the tools of science. For any illness to rise to political prominence, it needed marketing..... A disease needed to be transformed politically before it could be transformed scientifically.



THE NEW YORK TIMES, TUESDAY DECEMBER 4, 1973
This advertisement may be reproduced by whole or in part without written permission from the New York Times.

Mr. Nixon:
You can
cure
cancer.



"A moon shot for cancer"

The relationship of government to science in the post-war years is a case in point. Without very much visible deliberation, but with much solemnity, we have in little more than a decade elevated science to a level of extraordinary influence in national policy; and now that it is there, we are not very certain what to do with it.

—William Carey, 1963

Repräsentative Umfrage bei 60+ in Thüringen und Gesamtdeutschland

- Nur 17% glaubten, dass man sich mit Impfungen schützen kann
- 23 % halten Sepsis für Reaktion
- 30 % entstehen außerhalb des Krankenhauses !
70-80% der Sepsiserkrankungen entstehen außerhalb des Krankenhauses !
- Die Mehrheit der Patienten glaubt, dass man Sepsis am roten Streifen, der zum Herz zieht erkennt





Not vaccinated against pneumococci !

Patient without spleen contracted pneumococcal sepsis



Not vaccinated against pneumococci !



Sepsis Incidence per 100,000 inhabitants

Breast Cancer	110
Colon Cancer	50
AIDS	3.5

•Inzidenz Sepsis 375/100 000

CDC National Center of Hospital Statistics 2012
Angus DC et al; Crit Care Med 2001; 29: 1303-131



**GIB AIDS
KEINE
CHANCE**

*Gerade bei wechselnden Partnern sind Kondome unverzichtbar.
Denn in Deutschland infizieren sich täglich immer noch
sieben Menschen mit HIV. Deshalb gilt: mit wem Sie es auch
machen – greifen Sie zum schützenden Gummi!*

In Germany daily 200 patients die from sepsis

ALARM IN DER BIKINIZONE?

Die jährlich 300 000 Sepsis Patienten haben
das gleiche Anrecht auf gesundheitliche
Aufklärung durch die BZgA wie andere
Patientengruppen !

DE

Wenn's unter
eine sexuelle
Infektion (STI) sein.



www.liebesleben.de



FACHVERBAND
AUSSENWERBUNG e.V.



Verband der Privaten
Krankenversicherung

Eine Aktion der Bundeszentrale für
gesundheitliche Aufklärung (BZgA),
mit Unterstützung des Fachverbandes
Aussenwerbung e.V. und des Verbandes
der Privaten Krankenversicherung e.V.,
gefördert durch die Bundesrepublik
Deutschland.



Bundeszentrale
für
gesundheitliche
Aufklärung

Es ist deins.
Schütze es.

Etat für 2019



Bundeszentrale
für
gesundheitliche
Aufklärung

- **17,5 Mio. Euro** für die Bundeszentrale für gesundheitliche Aufklärung (BZgA) für Gesundheitliche Aufklärung der Bevölkerung
Darin enthalten sind:
 - Gesundheit von Kindern und Jugendlichen..... 2.380.000 €
 - Aufklärung zur Organspende..... 5.700.000 €
 - Aufklärung zur Blutspende..... 300.000 €
 - Gesundes Alter..... 1.400.000 €
 - Qualitätssicherung und Qualitätsentwicklung..... 1.600.000 €
 - Erhöhung der Reichweiten..... 800.000 €
 - Aufklärungskampagne zur Steigerung der Durchimpfung..... 2.700.000 €
 - Aufklärungskampagne zur Hygiene..... 750.000 €
 - Information von Unternehmen über betrieblich Gesundheitsförderung.... 450.000 €
 - Krisenkommunikation..... 750.000 €
 - Stärkung der Laienreanimation..... 700.000 €
- Für Aufklärungsmaßnahmen auf dem Gebiet von sexuell übertragbaren Krankheiten sind **11,9 Mio. Euro gesondert** veranschlagt



The NEW ENGLAND JOURNAL *of* MEDICINE

Perspective

Recognizing Sepsis as a Global Health Priority — A WHO Resolution

Konrad Reinhart, M.D., Ron Daniels, M.D., Niranjan Kissoon, M.D., Flavia R. Machado, M.D., ...
Raymond D. Schachter, L.L.B., and Simon Finfer, M.D.

“Some very important clinical and professional bodies have been affected by sepsis, but the public and political space has not been similarly affected. ... at the clinical level, but not visibly at the political level. ... political leaders, health care systems, and political space in which [sepsis] needs to be in order for things to change.”

So said Sir Liam Donaldson,

... The public and political space is the space in which [sepsis] needs to be in order for things to change.”

Sir Liam Donaldson, Geneva ; May 2017






burden of sepsis remains unknown. The current estimates of 30 million episodes and 6 million deaths per year come from a systematic review that extrapolated from published national or local population estimates to the global population.³ The likelihood that the result was a significant underes-



World Health Organization

The Resolution Acknowledges That

„Most types of microorganisms can cause sepsis, including bacteria, fungi, viruses and parasites, such as those that cause malaria“.



Improving the prevention, diagnosis and clinical management of sepsis

URGES Member States:
“to include prevention, diagnosis and treatment of sepsis in national health systems strengthening in the community and in health care settings”

Nationaler Aktionsplan gegen Sepsis

Memorandum aus Anlass des Sepsis Summits Berlin 2013



Zielsetzung

Initiierung eines Nationalen Aktionsplans, um in Deutschland eine Senkung der Sepsissterblichkeit und eine Verbesserung der Lebensqualität nach überlebten Sepsisfällen.

Präambel

Der Begriff „Sepsis“ ist bei Laien unklar.

Er wird meistens von den meisten Menschen als die schwerste Verletzung von Körper und Geist gesehen.

Es kann zu einer Behandlung mit Antibiotika beginnen.

Äquivalente Sepsis ist fast immer jährlich zu sehen.

Bis zu einem Drittel der vermeidbaren Todesfälle betreffen behandlungs-assoziierte Infektionen !

Die WHO prophezeit „eine post-antibiotische Ära“, in der es für viele gewöhnliche Infektionen keine Behandlungsmöglichkeiten mehr gibt; das Weltwirtschaftsforum hat das Problem in seinen „Global Risks“ gelistet.

Die WHO prophezeit „eine post-antibiotische Ära“, in der es für viele gewöhnliche Infektionen keine Behandlungsmöglichkeiten mehr gibt; das Weltwirtschaftsforum hat das Problem in seinen „Global Risks“ gelistet.

The initiative for a National Sepsisplan acts under the patronage of the German Coalition for Patient Safety




Global
Sepsis
Alliance

SEPSIS WHAT WE DO BECOME INVOLVED


Donate

- Vaccination
- Clean Care
- Early recognition
- Appropriate treatment

WHO SAVE LIVES: Clean Your Hands global campaign – 5 May 2018



German sepsis mortality twice as high as peers ...



Other countries were able to reduce mortality by almost 50% within 5 years


Note: Data for UK based on England

Source: Deutsche Sepsis-Gesellschaft, Fleischmann et al.
Int.Care Med in press ; BCG analysis

... who improved sepsis care through 5 levers




Varianz der risiko-adaptierten Sepsis-Sterblichkeit in den Krankenhäusern des Deutschen Qualitätsbündnisses Sepsis



Die risikoadaptierte Sepsissterblichkeit auf Ebene der Krkh. variiert sehr stark

Adult Outcome measure: Risk Adjusted Mortality Rates per Hospital



This figure shows the RAMR and 95% confidence interval for each hospital in the sepsis public report. Blue represents high performers (lower than expected deaths). Gold represents low performers (higher than expected deaths).



Governor Cuomo Signs Rory Staunton's Law

© Posted on October 24, 2017



Governor Cuomo Signs Rory Staunton's Law

Thank you, Governor Cuomo and Assemblywoman Cathy Nolan. A new Bill has passed the legislature in New York State and been signed by the Governor to ensure that all New York State children learn about sepsis in their schools.




Bethesda Hospital



New York State Mandated Public Reporting Study Results in Five Percent Reduction of Hospital Mortality

Figure 3: Risk adjusted hospital mortality over time by protocol initiation status.



Risk-adjusted mortality improved in patients with a sepsis protocol initiated throughout the study period, but was stable for patients without a protocol initiated. The difference in mortality between patients treated with and without a sepsis protocol first became significant ($p = 0.019$) during the 3rd month of the study.

Association Between the New York Sepsis Care Mandate and In-Hospital Mortality for Pediatric Sepsis

Idris V. R. Evans, MD, MSc; Gary S. Phillips, MAS; Elizabeth R. Alpern, MD, MSCE; Derek C. Angus, MD, MPH; Marcus E. Friedrich, MD; Niranjan Kissoon, MD; Stanley Lemeshow, PhD; Mitchell M. Levy, MD; Margaret M. Parker, MD; Kathleen M. Terry, PhD; R. Scott Watson, MD, MPH; Scott L. Weiss, MD, MSCE; Jerry Zimmerman, MD, PhD; Christopher W. Seymour, MD, MSc

Table 1. Patient Characteristics (continued)

Hospital Mortality rates (age 0-17years)

All patients : 11.8%

Bundle completed : 7.5%

Bundle not completed 13.2%

P Value^b

Characteristic ^a				P Value ^b
Type of pathogen				
Gram positive				
Gram negative	104 (8.8)	27 (9.2)	77 (8.7)	<.001
Other ^e	87 (7.4)	4 (1.4)	83 (9.4)	
None reported	849 (72.0)	216 (73.5)	633 (71.5)	
Hospital with pediatric intensive care	1031 (87.4)	258 (87.8)	773 (87.3)	.85
Hospital length of stay, median (IQR), h	235 (118-496)	198 (101-358)	244 (123-554)	<.001 ^d
In-hospital death	139 (11.8)	22 (7.5)	117 (13.2)	.008

Hospital Mortality ratea (age 0-17 years)
in Germany: 17.2%



CDC Launches Report & Awareness Initiative

The image shows five CDC Vital Signs infographics related to sepsis:

- Top Left:** A green card with the number "4" and the text: "Four types of infections are most often associated with sepsis: lung, urinary tract, skin, and gut."
- Top Middle:** A white card with the text "Think Sepsis. Time Matters." and a photo of medical staff in a hospital room. It includes the CDC Vital Signs logo and the website www.cdc.gov/vitalsigns.
- Bottom Left:** A teal card with the text "7 in 10" and "A CDC evaluation found 7 in 10 patients with sepsis had recently used health care services or had chronic diseases requiring frequent medical care." It also features the "#VitalSigns" and CDC logos.
- Bottom Middle:** A white card with the text "80%" and "Sepsis begins outside of the hospital for nearly 80% of patients."
- Right Side:** A white card titled "Know the signs and sy" (partially cut off) with four circular icons showing human figures with symptoms: shivering, fever, or very cold; extreme pain or discomfort; confusion or disorientation; and short of breath. It includes the text "If suspected, get medical ca" and "SOURCE: CDC Vital Signs, Au".




ASPR's Mission

Save Lives and
Protect
Americans from
21st Century
Health Security
Threats

Northwell Health

Raw Sepsis and Severe Sepsis/Septic Shock Mortality Rate

January 2008 - May 2016



MEDUSA Trial, Germany


ORIGINAL



Effect of a multifaceted educational intervention for anti-infectious measures on sepsis mortality: a cluster randomized trial

Frank Bloos^{1,2}, Hei
Stephan Harbarth
Manfred Weiss¹⁰,
Claudia Matthäus
Karin Dey¹⁷, Norb
Udo X. Kaisers^{8,22}

© 2017 Springer-Verlag Berlin



Mortality remained unchanged !

Abstract

Purpose: Guideline remains untested the time before in-line recommendations.

Methods: The MEDUSA trial started in July 2013 in 40 German ICUs. An educational intervention (CME) was used to support an intention-to-treat approach.


The primary outcome

Results: The 28-day mortality in 1000 patients; $p = 0.01$. Patients present from the beginning of the study and remained unaffected by the intervention. Median time to antimicrobial therapy was 1.5 h (interquartile range 0.1–4.9 h) in the intervention group and 2.0 h (0.4–5.9 h; $p = 0.41$) in the control




Quality Improvement Initiative for Severe Sepsis and Septic Shock Reduces 90-Day Mortality: A 7.5-Year Observational Study

Christian S. Scheer, MD¹; Christian Fuchs, MD¹; Sven-Olaf Kuhn, MD¹; Marcus Vollmer, MSM²;
Sebastian Rehberg, MD, PhD¹; Sigrun Friesecke, MD³; Peter Abel, MD³; Veronika Balau, MD⁴;
Christoph Bandt, PhD²; Konrad Meissner, MD, PhD¹; Klaus Hahnenkamp, MD, PhD¹;
Matthias Gründling, MD¹






'Sepsis is a condition whose time has come'






AminArt

NHS ENGLAND CQUIN DATA



Rapid Response Teams sind in Australien verpflichtend



<http://www.cec.health.nsw.gov.au/programs/between-the-flags>

Leistungsmerkmale von Ländern mit niedriger und stark fallender Sepsissterblichkeit

- Effektive nationale Programme zur Infektionsprävention und – kontrolle
- Starke ID, Hygiene, ÖGDs, EM und Intensivmedizin
- Auf nationaler Ebene implementierte Routinen zur Früherkennung von kritisch kranken und sich rapide “verschlechternden” Patienten- NEWS , RRTs
- Behördliche Kommissionen und Institutionen die die Gesundheitsdienstleister auf nationaler und länderebene beim QI unterstützen
- Starke öffentlich und durch Patientenintressengruppen unterstützte Aufklärungskampagnen

Sepsis – ein deutscher Skandal

15.000 bis 20.000 vermeidbare
Todesfälle durch Ignoranz

Was Hoffnung Macht

- GMK fordert die Umsetzung der WHO Resolution
- GBA hat das Thema Sepsis aufgegriffen
- Aktionsbündnis Patientensicherheit unterstützt
- Der Zusammenschluss von über 70 Krankenhäuser zu einem Deutschen Qualitätsbündnis Sepsis
- Betroffene in die Öffentlichkeit gehen
- Die Medien immer größeres Interesse zeigen

Sepsis
Stiftung

The call for a National Sepsis Plan is supported by more than 30 medical societies and organizations